

Atty. Docket No. COR21 P304

CERTIFICATE OF FACSIMILE

I hereby certify that this paper, together with all enclosures identified herein, are being sent via facsimile to the United States Patent and Trademark Office at 571/273-8300 (2 pgs. total), on the date indicated below.

Date

01.12.07

Catherine M. Updegraff

Catherine M. Updegraff

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patentee : Gary W. Cleary et al.
Patent No. : 7,049,479
Issue Date : May 23, 2006

RECEIVED
CENTRAL FAX CENTER

JAN 12 2007

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Dear Sir:

Concerning the above identified patent, the following errors were found:

Column 1, Line 48;

"patients" should be --patients'--.

Column 1, Line 53;

"patients" should be --patients'--.

Column 2, Line 44;

Delete "is".

Column 2, Line 59;

"cross sectional" should be --cross-sectional--.

Column 2, Line 65;

"cross sectional" should be --cross-sectional--.

Column 3, Line 7;

"cross sectional" should be --cross-sectional--.

Column 3, Line 48;

"ingredient" should be --ingredients--.

Column 4, Line 36;

"silicon" should be --silicone--.

BEST AVAILABLE COPY

Fax:6169578196

Jan 12 2007 14:50

P.02

Patentee : Gary W. Cleary et al.
Patent No. : 7,049,479
Page : 2

RECEIVED
CENTRAL FAX CENTER

JAN 12 2007

Column 5, Line 61;

"is" should be --it--.

Column 7, Claim 1, Line 55;


"dimension" should be --dimensions--.

This letter is written to point out such errors and make them of record in this case.

Respectfully submitted,

Date

1/12/07


Jeffrey S. Kapteyn

Registration No. 41 883

Price, Heneveld, Cooper, DeWitt & Litton, LLP
695 Kenmoor, S.E.

Post Office Box 2567

Grand Rapids, Michigan 49501

(616) 949-9610

JSK/cmu